JOURNAL OF MAMMALOGY

ELMER C. BIRNEY, *Managing Editor*

DON E. WILSON, *Journal Editor*

MICHAEL A. BOGAN, *Associate Editor*

GUY N. CAMERON, *Associate Editor*

B. J. VERTS, *Associate Editor*

JAMES L. PATTON, *Editor for Reviews*

JAMES S. MELLETT, *Editor for Advertising*

VOLUME 62

PUBLISHED QUARTERLY

BY THE

AMERICAN SOCIETY OF MAMMALOGISTS

1981

The American Society of Mammalogists

Founded 3 April 1919, incorporated 29 April 1920

Officers

JAMES S. FINDLEY, *President*
J. MARY TAYLOR, *First Vice-President*
TERRY A. VAUGHAN, *Second Vice-President*
JERRY R. CHOATE, *Recording Secretary*
GORDON L. KIRKLAND, JR., *Secretary-Treasurer*
ROBERT J. BAKER, *Managing Editor*

Additional Directors

1979–1982	1980–1983	1981–1984
MURRAY JOHNSON	JAMES H. BROWN	ELMER C. BIRNEY
ROBERT H. TAMARIN	JOHN F. EISENBERG	HUGH H. GENOWAYS
B. J. VERTS	KARL F. KOOPMAN	JAMES L. PATTON
BERNARDO VILLA-R.	MARIE A. LAWRENCE	AELITA J. PINTER
DON E. WILSON	DUANE A. SCHLITTER	DAVID J. SCHMIDLY

Living Past Presidents

E. RAYMOND HALL	EMMET T. HOOPER	J. KNOX JONES, JR.
WILLIAM J. HAMILTON, JR.	DONALD F. HOFFMEISTER	SYDNEY ANDERSON
WILLIAM H. BURT	RANDOLPH L. PETERSON	WILLIAM Z. LIDICKER, JR.
WILLIAM B. DAVIS	RICHARD G. VAN GELDER	ROBERT S. HOFFMANN
ROBERT T. ORR	JAMES N. LAYNE	

Trustees

OLIVER P. PEARSON (1984), *Chairman*
EDGAR N. STONE (1982)
PHILIP L. WRIGHT (1983)

The Journal of Mammalogy

ROBERT J. BAKER, *Managing Editor*, The Museum, Texas Tech University, Lubbock, TX 79409
ELMER C. BIRNEY, *Journal Editor*, Bell Museum of Natural History, University of Minnesota, Minneapolis, MN 55455 (**Direct all manuscripts to the Journal Editor.**)
MICHAEL A. BOGAN, *Associate Editor*, National Fish and Wildlife Laboratory, National Museum of Natural History, Washington, DC 20560
GUY N. CAMERON, *Associate Editor*, Department of Biology, University of Houston, Houston, TX 77004
J. MARY TAYLOR, *Associate Editor*, Department of Zoology, The University of British Columbia, 6270 University Blvd., Vancouver, B.C. 6VT 2A9, Canada
JAMES L. PATTON, *Editor for Reviews*, Museum of Vertebrate Zoology, University of California, Berkeley, CA 94720
JAMES S. MELLETT, *Editor for Advertising*, Department of Biology, 952 Brown Building, New York University, New York, NY 10003

Mammalian Species and Special Publications

TIMOTHY E. LAWLOR, *Special Editor*, Department of Biology, Humboldt State University, Arcata, CA 95521
SYDNEY ANDERSON, *Editor for Mammalian Species*, American Museum of Natural History, Central Park W. at 79th St., New York, NY 10024
DANIEL F. WILLIAMS, *Associate Editor*, Department of Biological Sciences, California State College, Stanislaus, Turlock, CA 95380
HUGH H. GENOWAYS, *Editor for Special Publications*, Section of Mammals, Carnegie Museum of Natural History Annex, 5800 Baum Blvd., Pittsburgh, PA 15206

Journal of Mammalogy (ISSN 0022-2372) is published quarterly by the American Society of Mammalogists, 1041 New Hampshire Street, Lawrence, KS 66044.

Manuscripts for publication, books for review, and papers for special comment should be sent to the appropriate editor as explained in "Publication Policies and Suggestions for Authors" in the back of the first number of this volume.

Publications for inclusion in the bibliography of mammalogical literature, section on "Recent Literature," should be sent to Marie A. Lawrence, Department of Mammalogy, American Museum of Natural History, Central Park West at 79th Street, New York, NY 10024.

SECOND-CLASS POSTAGE PAID AT LAWRENCE, KS, USA 66044
ALLEN PRESS, INC., LAWRENCE, KS, USA

© 1981 The American Society of Mammalogists

CONTENTS OF VOLUME 62

NUMBER 1

Sex-related differences in the seasonality of agonistic behavior in mule deer ..... *Debra L. Koutnik* 1

Olfactory communication at sandbathing loci by sympatric species of kangaroo rats ..... *Jan A. Randall* 12

Mother-infant communication in a horseshoe bat (*Rhinolophus ferrumequinum nippon*): vocal communication in three-week-old infants ..... *Sumiko Matsumura* 20

Intraspecific litter size variation in *Microtus californicus*: variation within populations ..... *David T. Krohne* 29

Comparative postnatal growth of four ground squirrel species ..... *J. W. Koeppl* and *R. S. Hoffmann* 41

Spatial variation in transferrin allele frequencies among herds of feral donkeys in Death Valley National Monument, California ..... *John G. Blake, Charles L. Douglas,* and *Linda F. Thompson* 58

Torpor patterns and microenvironment of the eastern chipmunk, *Tamias striatus* ..... *Graeme S. Maclean* 64

An experimental examination of an artificial dispersal sink ..... *F. Stephen Dobson* 74

Systematics of *Anoura cultrata, A. brevirostrum,* and *A. werckleae* ..... *David Nagorsen* and *J. R. Tamsitt* 82

Body proportions and gliding adaptations of flying squirrels (Petauristinae) ..... *Richard W. Thorington, Jr.,* and *Lawrence R. Heaney* 101

A mid-Holocene record for the heather vole, *Phenacomys* cf. *intermedius,* in the central Great Basin and its biogeographic significance ..... *Donald K. Grayson* 115

Barbourofelis (Nimravidae) and *Nimravides* (Felidae), with a description of two new species from the late Miocene of Florida ..... *Jon A. Baskin* 122

The influence of weather on rodent activity ..... *W. L. Vickery* and *J. R. Bider* 140

Studies of natural populations of *Mus*. VI. Sizes of populations inhabiting corn cribs in southwestern Ontario ..... *Michael L. Petras* and *John C. Topping* 146

General Notes

A new species of *Rhynchomys* (Muridae) from the Philippines ..... *Guy G. Musser* and *Patricia W. Freeman* 154

Chromosomal variation within four species of harvest mice (*Reithrodontomys*) ..... *Mark D. Engstrom, Robert C. Dowler, Duke S. Rogers, David J. Schmidly,* and *John W. Bickham* 159

Mammalian carnassial function and the "Every effect" ..... *James S. Mellett* 164

Correspondence of food habits and morphology in insectivorous bats ..... *Patricia W. Freeman* 166

Effect of fasting on rate of food passage and assimilation efficiency in badgers ..... *Henry J. Harlow* 173

Individual variation in thermoregulatory patterns of two desert rodents ..... *Donald P. Christian* 178

Renal morphology of *Macrotus* (Chiroptera, Phyllostomatidae) ..... *Shiow-Lian Lu* and *William J. Bleier* 181

Morphological, ecological, and behavioral adaptations for arboreal browsing in *Dactylomys dactylinus* (Rodentia, Echimyidae) ..... *Louise H. Emmons* 183

Venom of the short-tailed shrew (*Blarina brevicauda*) as an insect immobilizing agent ..... *Irwin G. Martin* 189

Territory displacement in a wolf population with abundant prey ..... *Ludwig N. Carbyn* 193

Activity patterns of *Reithrodontomys megalotis* in Santa Barbara, California ..... *Andrew R. Blaustein* and *Gary N. Fugle* 195

Niche separation of *Peromyscus leucopus* and *Blarina brevicauda* ..... *David A. Zegers* and *James C. Ha* 199

Ecology of the Key Largo woodrat (*Neotoma floridana smalli*) ..... *Sandra L. Hersh* 201

Exclusion of adult male coatis from social groups: protection from predation ..... *James K. Russell* 206

Barking behavior in Indian muntjacs (*Muntiacus muntjak*) ..... *Gary J. Wiles* and *Harmon P. Weeks, Jr.* 208

Observations on snow tunneling by *Sylvilagus floridanus* ..... *Mark Fitzsimmons* and *Harmon P. Weeks, Jr.* 211

Incest taboo between sibling *Microtus ochrogaster* ..... *Michael R. McGuire* and *Lowell L. Getz* 213

Observations on *Diphylla ecaudata* in captivity ..... *Reginald A. Hoyt* and *J. Scott Altenbach* 215

Reviews

Mammals of Borneo: field keys and an annotated checklist, by Lord Medway. The wild mammals of Malaya (peninsular Malaysia) and Singapore, by Lord Medway ..... *Gwilym S. Jones* 217

The George Reserve deer herd. Population ecology of a K-selected species, by D. R. McCullough ..... *Michael H. Smith* 218

Adventures of a zoologist, by Victor B. Scheffer ..... *Murray L. Johnson* 219

Comments and News 222

NUMBER 2

Recognition of species of insectivorous bats by their echolocation calls ..... *M. B. Fenton* and *G. P. Bell* 233

Survivorship in the endangered gray bat (*Myotis grisescens*) ..... *Diane E. Stevenson* and *Merlin D. Tuttle* 244

Studies of a contact zone among three chromosomal races of *Geomys bursarius* in east Texas ..... *Priscilla K. Tucker* and *David J. Schmidly* 258
Relationships between genetic variability and niche dimensions among coexisting species of *Peromyscus* ..... *Margaret F. Smith* 273
Nutritional ecology of microtine rodents: effects of plant extracts on the growth of arctic microtines ..... *Hans-Joachim G. Jung* and *George O. Batzli* 286
Factors influencing seasonal burrowing activity in the pocket gopher, *Thomomys bottae* ..... *James H. Bandoli* 293
Trophic relationships among small mammals in a Chilean semiarid thorn scrub community ..... *Peter L. Meserve* 304
Experimental assessment of several population estimation techniques on an introduced population of eastern chipmunks ..... *M. A. Mares, K. E. Streilein,* and *M. R. Willig* 315
Reproduction in two marsupial-mice, *Antechinus bellus* and *A. bilarni* (Dasyuridae), of tropical Australia ..... *J. H. Calaby* and *J. Mary Taylor* 329
Copulatory behavior and reproduction in the binturong, *Arctictis binturong* ..... *Chris Wemmer* and *James Murtaugh* 342
A comparison of the adrenal histology, reproductive condition, and serum corticosterone concentrations of prairie deermice (*Peromyscus maniculatus bairdii*) in captivity ..... *Eric L. Bradley* and *C. Richard Terman* 353
The histology and histochemistry of the perianal scent glant of the reproductively quiescent black-tailed prairie dog (*Cynomys ludovicianus*) ..... *Trevor R. Jones* and *Ronald K. Plakke* 362

General Notes

Male-induced abortion in various microtine rodents ..... *R. A. Stehn* and *F. J. Jannett, Jr.* 369
Unusual anatomy of the male reproductive tract in *Notomys alexis* (Muridae) ..... *W. G. Breed* 373
The bulbourethral gland of the wood mouse, *Apodemus sylvaticus* ..... *Margareta Eriksson* 375
Age-specific natality in Dall's sheep ..... *Fred L. Bunnell* and *Neil A. Olsen* 379
Antechinus bellus, another dasyurid marsupial with post-mating mortality of males ..... *P. A. Woolley* 381
Behavior of bank voles, *Clethrionomys glareolus*, in the field ..... *J. H. W. Gipps* 382
Field observations of mating behavior in *Dipodomys ordii* ..... *Mark D. Engstrom* and *Robert C. Dowler* 384
Cebus apella and *Brachyteles arachnoides* (Cebidae) as potential pollinators of *Mabea fistulifera* (Euphorbiaceae) ..... *C. Torres de Assumpção* 386
Time patterning of nest visitation by lactating meadow voles ..... *Dale M. Madison* 389
Assessing a small mammal community in central Chile ..... *Fabian M. Jaksić, Jose L. Yáñez,* and *Eduardo R. Fuentes* 391
Small mammal changes in populations following tornado blowdown in northern mixed forest ..... *Roger A. Powell* and *William S. Brooks* 397
Small mammal populations in different-aged clearcuts in northwestern Montana ..... *Pedro Ramirez, Jr.,* and *Maurice Hornocker* 400
Non-overlapping ranges of coyotes and wolves in northeastern Alberta ..... *Todd K. Fuller* and *Lloyd B. Keith* 403
Notes on bats from the Pacific lowlands of Guatemala ..... *Robert W. Dickerman, Karl F. Koopman,* and *Charles Seymour* 406
Wagner's mastiff bat, *Eumops glaucinus floridanus*, (Molossidae) in southwestern Florida ..... *J. J. Belwood* 411
Use of hands and feet of two-toed sloths (*Choloepus hoffmanni*) during climbing and terrestrial locomotion ..... *Frank C. Mendel* 413
Hip glands in wild-caught *Microtus pennsylvanicus* ..... *Robert H. Tamarin* 421
Tooth replacement patterns in *Myotis albescens* ..... *Wm. David Webster* 422
The bearded seal, *Erignathus barbatus*, in the Pleistocene of Maine ..... *Clayton E. Ray* and *Arthur E. Spiess* 423
Krill availability and the distribution of humpback whales in southeastern Alaska ..... *Peter J. Bryant, George Nichols, Toni B. Bryant,* and *Karen Miller* 427
First records of *Mesoplodon hectori* (Ziphiidae) from the northern hemisphere and a description of the adult male ..... *James G. Mead* 430
Sea otter predation on birds near Monterey, California ..... *Robert F. VanWagenen, Michael S. Foster,* and *Frank Burns* 433
Interactions of wolves and black bears in northeastern Minnesota ..... *Lynn L. Rogers* and *L. David Mech* 434
Some normal blood values of *Myotis velifer* (Chiroptera: Vespertilionidae) ..... *William Caire, Beverley L. Cox,* and *Barbara Levescy* 436
Late Holocene diet of *Bassariscus astutus* in the Grand Canyon, Arizona ..... *Jim I. Mead* and *Thomas R. Van Devender* 439

Reviews

Mesozoic mammals, the first two thirds of mammalian history, edited by J. A. Lillegraven, Z. Kielan-Jaworowska, and W. A. Clemens ..... *Frederick S. Szalay* 443
The mammals of Suriname, by A. M. Husson ..... *Alfred L. Gardner* 445
The ecology of arboreal folivores, edited by G. G. Montgomery ..... *William E. Glanz* 449
Vertebrate ecology in the northern Neotropics, edited by John F. Eisenberg ..... *Michael A. Mares* 450
Estimation of density from line transect sampling of biological populations, by Kenneth P. Burnham, David R.

Anderson, and Jeffrey L. Laake, and User's manual for program transect, by Jeffrey L. Laake, Kenneth P. Burnham, and David R. Anderson ---- *R. Glenn Ford* 452

Comments and News ---- 454

NUMBER 3

The function of interlocking canines in rain forest peccaries (Tayassuidae) ---- *Richard A. Kiltie* 459

Genetic measures of inbreeding in *Peromyscus* ---- *David W. Foltz* 470

Biochemical systematics of cheetodipine pocket mice, genus *Perognathus* ---- *James L. Patton, Steven W. Sherwood,* and *Suh Y. Yang* 477

Molecular evolution in *Thomomys*: phyletic systematics, paraphyly, and rates of evolution ---- *James L. Patton* and *Margaret F. Smith* 493

Evolutionary relationships of jumping mice (genus *Zapus*) of the southwestern United States ---- *David J. Hafner, Karen E. Petersen,* and *Terry L. Yates* 501

A new species of *Crateromys* (Muridae) from the Philippines ---- *Guy G. Musser* and *Linda K. Gordon* 513

Radiation of early Cenozoic Didymoconidae (Condylarthra, Mesonychia) in Asia, with a new genus from the early Eocene of western North America ---- *Philip D. Gingerich* 526

Systematic status of *Sylvilagus brasiliensis* and *S. insonus* from North America ---- *Victor E. Diersing* 539

Allochronic associations of *Rattus exulans* ---- *J. W. Koeppl, N. A. Slade,* and *R. W. Turner* 557

Using edge effect to estimate animal densities ---- *Gene D. Schroder* 568

Activity, movement, and distribution of Roosevelt elk during rut ---- *R. Terry Bowyer* 574

Stenella clymene, a rediscovered tropical dolphin of the Atlantic ---- *W. F. Perrin, E. D. Mitchell, J. G. Mead, D. K. Caldwell,* and *P. J. H. van Bree* 583

Reproductive biology of Steller sea lions in the Gulf of Alaska ---- *Kenneth W. Pitcher* and *Donald G. Calkins* 599

Variation in cutaneous glandular structures in reindeer (*Rangifer tarandus*) ---- *Torgny Mossing* and *Lollo Källquist* 606

Sodium dynamics and adaptations of a moose population ---- *Gary E. Belovsky* and *Peter A. Jordan* 613

General Notes

Unusual pineal size and morphology in the Orkney vole (*Microtus arvalis orcadensis*) ---- *W. B. Quay* 622

Metabolic rate of pine marten in relation to air temperature ---- *Gary L. Worthen* and *Delbert L. Kilgore, Jr.* 624

Importance of social grouping on bioenergetics of the golden mouse, *Ochrotomys nuttalli* ---- *Scott D. Springer, Patricia A. Gregory,* and *Gary W. Barrett* 628

A possible population response of moose to sodium availability ---- *Gary E. Belovsky* 631

Observations on the sexual behavior, gestation period, and young of captive Mexican volcano rabbits, *Romerolagus diazi* ---- *Fernando Cervantes R.* and *William López-Forment C.* 634

Pedal scent-marking in the rufous elephant-shrew, *Elephantulus rufescens* ---- *Galen B. Rathbun* and *Kent Redford* 635

Nondesertion of a post-reproductive rhesus female by adult male kin ---- *Barbara Tilford* 638

Multiple captures of *Peromyscus*: age, sex, and species differences ---- *Stephen H. Jenkins* and *Jeffrey B. Llewellyn* 639

Status of the West Indian manatee (*Trichechus manatus*) in Puerto Rico ---- *James A. Powell, David W. Belitsky,* and *Galen B. Rathbun* 642

Demography and activity patterns of some small mammals from the Cape Province, South Africa ---- *Eric A. Rickart* 646

Relative abundance of the southeastern shrew ---- *James L. Wolfe* and *Robert J. Esher* 649

New records of the swift fox (*Vulpes velox*) in Wyoming ---- *Barry L. Floyd* and *Mark R. Stromberg* 650

Bats killed at a north Florida television tower: a 25-year record ---- *Robert L. Crawford* and *W. Wilson Baker* 651

Reviews

Pleistocene mammals of North America, by B. Kurtén and E. Anderson ---- *Arthur H. Harris* 653

Wolves of Minong, their vital role in a wild community, by Durward L. Allen ---- *E. Raymond Hall* 654

Handbook to the orders and families of living mammals, by T. E. Lawlor ---- *Joseph G. Hall* 655

A guide to Arkansas mammals, by John A. Sealander ---- *V. Rick McDaniel* 655

The mammals of Zambia, by W. F. H. Ansell ---- *Pierre Swanepoel* 656

The desert bighorn. Its life history, ecology & management, edited by G. Monson and L. Sumner ---- *Raul Valdez* 658

Comments and News ---- 659

NUMBER 4

Electrophoretic and immunological studies on the relationship of the Brachyphyllinae and the Glossophaginae ---- *Robert J. Baker, Rodney L. Honeycutt, Michael L. Arnold, Vincent M. Sarich,* and *Hugh H. Genoways* 665

Taxonomic and biogeographic relationships of Baja California chickarees (*Tamiasciurus*) ---- *Stephen L. Lindsay* 673

New conoryctines (Mammalia: Taeniodonta) from the Middle Paleocene (Torrejonian) of western North America ---- *Robert M. Schoch* and *Spencer G. Lucas* 683

The effect of litter size on fertility in *Peromyscus leucopus* ---- *Larry Leamy* 692

Reproductive senescence among female Japanese macaques (*Macaca fuscata fuscata*) ---- *Linda D. Wolfe* and *M. J. Sabra Noyes* 698

Analysis of the mating system in the black-tailed prairie dog (*Cynomys ludovicianus*) by likelihood of paternity ---- *David W. Foltz* and *John L. Hoogland* 706

Genetic and demographic differences between dispersers and residents in cycling and noncycling vole populations ---- *Tim Perri Keith* and *Robert H. Tamarin* 713

Structure and dynamics of chipmunk home range ---- *Thomas Getty* 726

Social behavior of *Microtus pennsylvanicus* in relation to seasonal changes in demography ---- *A. Bruce Webster* and *Ronald J. Brooks* 738

Evening activities and nearest-neighbor distances in free-ranging white-tailed deer ---- *Kirk E. LaGory, Mary Katherine LaGory,* and *Douglas H. Taylor* 752

Time and energy budgets for dayroosting in a maternity colony of *Myotis lucifugus* ---- *Christopher D. Burnett* and *Peter V. August* 758

Social, spacing, and cooperative behavior of the collared peccary, *Tayassu tajacu* ---- *John A. Byers* and *Marc Bekoff* 767

Body composition and energy reserves of northern *Peromyscus leucopus* ---- *John S. Millar* 786

Functional anatomy of the primary downstroke muscles in the pallid bat, *Antrozous pallidus* ---- *John W. Hermanson* and *J. Scott Altenbach* 795

General Notes

Functional morphology of the clavicle in the pallid bat, *Antrozous pallidus* ---- *John W. Hermanson* 801

Molecular evolution of vampire bats ---- *Rodney L. Honeycutt, Ira F. Greenbaum, Robert J. Baker,* and *Vincent M. Sarich* 805

Serum testosterone concentrations in male prairie deermice (*Peromyscus maniculatus bairdii*) from laboratory populations ---- *R. L. Bradley* and *C. R. Terman* 811

Habitat patterns in a small mammal community ---- *J. Thomas Kitchings* and *Douglas J. Levy* 814

Seasonal variation in the diet of black-tailed prairie dogs ---- *Kathleen A. Fagerstone, Howard P. Tietjen,* and *Olwen Williams* 820

Aquatic displays and interactions in harbor seals, *Phoca vitulina,* with comments on mating systems ---- *Robert M. Sullivan* 825

A late Pleistocene population of the pocket gopher, *Geomys* cf. *bursarius,* in the Nashville Basin, Tennessee ---- *Paul W. Parmalee* and *Walter E. Klippel* 831

A fossil record of the porcupine (*Erethizon dorsatum*) from the Great Plains ---- *M. R. Voorhies* 835

A relief-adjusted method for determining home range in mountainous areas ---- *Erica H. Craig* 837

Status and habitat of three subspecies of *Peromyscus polionotus* in Florida ---- *Stephen R. Humphrey* and *D. Bruce Barbour* 840

Synaptomys not extinct in the Dismal Swamp ---- *Robert K. Rose* 844

Parturition in harp seals ---- *R. E. A. Stewart, N. Lightfoot,* and *S. Innes* 845

Some predators of the zacatuche (*Romerolagus diazi*) ---- *Fernando Alfredo Cervantes-Reza* 850

The southernmost record of the free-tailed bat, *Tadarida aurispinosa* ---- *Valdir A. Taddei* and *Valdener Garutti* 851

House mouse predation on cockroaches ---- *Mark K. Wourms* 853

Obituary

Robert Lewis Packard—1928–1979 ---- *J. Knox Jones, Jr.* 855

Reviews

A world list of mammalian species, by G. B. Corbet and J. E. Hill ---- *Karl F. Koopman* 860

The bats of Iran: systematics, distribution, ecology, by A. F. DeBlase ---- *Karl F. Koopman* 861

Los murciélagos de Cuba, by Cilberto Silva Taboada ---- *Gary S. Morgan* 862

Les rongeurs et l'évolution, by J. Chaline and P. Mein ---- *Barbara H. Blake* 863

The population ecology of cycles in small mammals: mathematical theory and biological fact, by J. P. Finerty ---- *Andrew Cockburn* 865

Cytogenetics of the black rat. Karyotype evolution and species differentiation, by T. H. Yosida ---- *Peter R. Baverstock* 866

The rodents of Australia, by C. H. S. Watts and H. J. Aslin ---- *Andrew Cockburn* 867

Annual Meeting ---- 869

Comments and News ---- 872

Index ---- 879

INDEX TO VOLUME 62

New names in *italic* type

Abrocoma bennetti, 305, 392
Acomys subspinosus, 646
Activity:
  Cervus elaphus, 574
  Clethrionomys gapperi, 140
  Microtus pennsylvanicus, 389, 738
  Napaeozapus insignis, 140
  Peromyscus maniculatus, 140
  Reithrodontomys megalotis, 195
  Rhogessa tumida, 410
  Tamias striatus, 726
  Thomomys bottae, 293
Aeromys tephromeles, 103
Aethomys namaquensis, 646
Africa, Stenella longirostris, 584
Aging, Macaca fuscata, 698
Aggression, Nasua nasua, 206
Aguascalientes:
  Perognathus hispidus, 479
  Reithrodontomys fulvescens, 160
Akodon:
  longipilis, 304, 392
  olivaceus, 304, 392
Alabama:
  Myotis grisescens, 244
  Peromyscus polionotus, 840
Alaska:
  Dicrostonyx torquatus, 287
  Enhydra lutris, 433
  Eumetopias jubatus, 599
  Lemmus sibiricus, 287
  Megaptera novaeangliae, 427
  Microtus oeconomus, 287
  Spermophilus parryii, 74
Albanosmilus jourdani, 131
Alberta:
  Alces alces, 404
  Canis latrans, 403
  Canis lupus, 404
  Odocoileus virginianus, 405
Alces alces, 193, 404, 613, 631
Allochronic associations, Rattus exulans, 557
Allouatta, 188:
  fusca, 386
Altenbach, J. S.:
  (see Hermanson, J. W.)
  (see Hoyt, R. A.)
Ammospermophilus cf. leucurus, 441
Anatomy:
  Antrozous pallidus, 795
  Apodemus sylvaticus, 375
  Cynomys ludovicianus, 362
  Microtus pennsylvanicus, 421
  Notomys alexis, 373
  Notomys fuscus, 373
  Notomys mitchellii, 373
Ancalagon, 533
Anoura:
  brevirostrum, 82
  caudifer, 82, 665
  cultrata, 882
  geoffroyi, 82, 409
  werckleae, 82
Antechinus:
  bellus, 329, 381
  bilarni, 329, 381
  flavipes, 338, 381
  minimus, 381
  rosamondae, 381
  stuartii, 338, 381
  swainsonii, 338, 381
Antilocapra americana, 606
Antrozous, 25:
  pallidus, 167, 239, 795, 801
Apataelurus, 124
Apodemus:
  agrarius, 144
  sylvaticus, 375
Arborimus, 116:
  longicaudus, 38
Archaeoryctes, 526
Arctictis binturong, 342
Arctocephalus forsteri, 849
Ardynictis, 526
Argentina; Mesoplodon hectori, 430
Arizona:
  Antrozous pallidus, 239, 801
  Bassaricus astutus, 439
  Eptesicus fuscus, 239
  Lasiurus cinereus, 239
  Macrotus californicus, 181,
  Myotis auriculus, 239
  Myotis californicus, 239
  Myotis thysanoides, 239
  Myotis volans, 239
  Perognathus baileyi, 479
  Perognathus intermedius, 479
  Perognathus penicillatus, 479
  Pipistrellus hesperus, 239
  Tadarida brasiliensis, 239
  Tadarida macrotis, 239
  Tamiasciurus hudsonicus, 673
  Tayassu tajacu, 767
  Thomomys bottae, 293, 493
  Thomomys talpoides, 494
  Thomomys umbrinus, 494
  Zapus hudsonius, 501
Arnold, M. L.:
  (see Baker, R. J.)
Artibeus:
  jamaicensis, 406
  lituratus, 406
  phaeotis, 406
  toltecus, 409

Assimilation efficiency, Taxidea taxus, 173
Atlantic, Stenella clymene, 583
August, P. V.:
(see Burnett, C. D.)
Australia:
Antechinus bellus, 329
Antechinus bilarni, 329
Notomys alexis, 373

Baja California:
Perognathus arenarius, 479
Perognathus baileyi, 479
Perognathus fallax, 479
Perognathus penicillatus, 479
Tamiasciurus mearnsi, 680
Baker, R. J.:
(see Honeycutt, R. L.)
Baker, R. J., R. L. Honeycutt, M. L. Arnold, V. M. Sarich, and H. H. Genoways:
Electrophoretic and immunological studies on the relationship of the Brachyphyllinae and the Glossophaginae, 665
Baker, W. W.:
(see Crawford, R. L.)
Bandoli, J. H.:
Factors influencing seasonal burrowing activity in the pocket gopher, Thomomys bottae, 293
Barbour, D. B.:
(see Humphrey, S. R.)
Barbourofelis:
fricki, 125
lovei, 125
morrisi, 125
osborni, 131
whitfordi, 131
Barrett, G. W.:
(see Springer, S. D.)
Baskin, J. A.:
Barbourofelis (Nimravidae) and Nimravides (Felidae), with a description of two new species from the late Miocene of Florida, 122
Bassariscus astutus, 350, 439
Batomys granti, 154
Batzli, G. O.:
(see Jung, H. G.)
Behavior:
Arctictis binturong, 342
Canis lupus, 435
Capreolus capreolus, 9
Cervus elaphus, 574
Choloepus hoffmanni, 413
Clethrionomys glareolus, 12, 382
Cynomys ludovicianus, 362
Dactylomys dactylinus, 183
Dipodomys merriami, 12
Dipodomys microps, 12
Dipodomys ordii, 384
Dipodomys spectabilis, 12
Enhydra lutris, 433
Eumops glaucinus, 412
Lagurus curtatus, 369
Macaca mulatta, 638
Meriones unguiculatus, 12
Microtus agrestis, 745
Microtus montanus, 369, 745
Microtus ochrogaster, 213, 369, 747
Microtus pennsylvanicus, 738
Mirounga angustirostris, 8
Muntiacus muntjak, 208
Mus musculus, 12
Myotis lucifugus, 758
Nasua nasua, 206
Odocoileus hemionus, 1
Odocoileus virginianus, 1, 752
Phoca groenlandica, 845
Phoca vitulina, 825
Pitymys pinetorum, 369
Rangifer tarandus, 7
Rhinolophus ferrumequinum, 20
Stenella clymene, 595
Sylvilagus floridanus, 211
Tamias striatus, 726
Tayassu tajacu, 767
Ursus americanus, 435
Belitsky, D. W.:
(see Powell, J. A.)
Bell, G. P.:
(see Fenton, M. B.)
Belovsky, G. E.:
A possible population response of moose to sodium availability, 631
Belovsky, G. E., and P. A. Jordan:
Sodium dynamics and adaptations of a moose population, 613
Belwood, J. J.:
Wagner's mastiff bat, Eumops glaucinus floridanus, (Molossidae) in southwestern Florida, 411
Bickham, J. W.:
(see Engstrom, M. D.)
Bider, J. R.:
(see Vickery, W. L.)
Bioenergetics, Ochrotomys nuttalli, 628
Biogeography:
Phenacomys intermedius, 115
Tamiasciurus douglasii, 673
Tamiasciurus hudsonicus, 673
Tamiasciurus mearnsi, 673
Blake, J. G., C. L. Douglas, and L. F. Thompson:
Spacial variation in transferrin allele frequencies among herds of feral donkeys in Death Valley National Monument, California, 58
Blarina:
brevicauda, 189, 199, 814
carolinensis, 649
Blaustein, A. R., and G. N. Fugle:
Activity patterns of Reithrodontomys megalotis in Santa Barbara, California, 195
Bleier, W. J.:
(see Lu, S.-L.)

Bowyer, R. T.:
Activity, movement, and distribution of Roosevelt elk during rut, 574
Brachyphylla cavernarum, 665, 809
Brachyteles arachnoides, 386
Bradley, E. L., and C. R. Terman:
A comparison of the adrenal histology, reproductive condition, and serum corticosterone concentrations of prairie deermice (Peromyscus maniculatus bairdii) in captivity, 353
Serum testosterone concentrations in male prairie deermice (Peromyscus maniculatus bairdii) from laboratory populations, 811
Bradypus, 188
Brazil:
Alouatta fusca, 386
Brachyteles arachnoides, 386
Callicebus personatus, 386
Callithrix aurita, 386
Callithrix jacchus, 386
Cebus apella, 386
Eumops glaucinus, 851
Promops nasutus, 851
Stenella longirostris, 583
Tadarida aurispinosa, 851
Tadarida laticaudata, 851
Breed, W. G.:
Unusual anatomy of the male reproductive tract in Notomys alexis (Muridae), 373
Breeding:
Cynomys ludovicianus, 706
Macaca fuscata, 698
Microtus ochrogaster, 213
British Columbia:
Euderma maculatum, 239
Eumetopias jubatus, 604
Myotis californicus, 239
Myotis evotis, 239
Myotis leibii, 239
Brooks, R. J.:
(see Webster, A. B.)
Brooks, W. S.:
(see Powell, R. A.)
Bryant, P. J., G. Nichols, T. B. Bryant, and K. Miller:
Krill availability and the distribution of humpback whales in southeastern Alaska, 427
Bryant, T. B.:
(see Bryant, P. J.)
Bunnell, F. L., and N. A. Olsen:
Age-specific natality in Dall's sheep, 379
Burnett, C. D., and P. V. August:
Time and energy budgets for dayroosting in a maternity colony of Myotis lucifugus, 758
Burns, F.:
(see VanWagenen, R. F.)
Byers, J. A., and M. Bekoff:
Social, spacing, and cooperative behavior of the collared peccary, Tayassu tajacu, 767

Caire, W., B. L. Cox, and B. Levescy:
Some normal blood values of Myotis velifer (Chiroptera: Vespertilionidae), 436
Calaby, J. H., and J. M. Taylor:
Reproduction in two marsupial-mice, Antechinus bellus and A. bilarni (Dasyuridae), of tropical Australia, 329
Calaenomys silaceus, 154
Caldwell, D. K.:
(see Perrin, W. F.)
California:
Barbourofelis *lovei*, 125
Cervus elaphus, 574
Enhydra lutris, 433
Equus asinus, 58
Eumetopias jubatus, 603
Mesoplodon hectori, 431
Microtus californicus, 29
Odocoileus hemionus, 1
Perognathus baileyi, 479
Perognathus californicus, 479
Perognathus fallax, 479
Perognathus formosus, 479
Perognathus penicillatus, 479
Perognathus spinatus, 479
Peromyscus boylii, 275
Peromyscus californicus, 275
Peromyscus maniculatus, 275
Peromyscus truei, 275
Phoca vitulina, 825
Reithrodontomys megalotis, 195
Spermophilus beecheyi, 74
Tamiasciurus douglasii, 673
Thomomys bottae, 493
Thomomys monticola, 494
Thomomys townsendii, 494
Calkins, D. G.:
(see Pitcher, K. W.)
Callicebus, 188:
personatus, 386
Callithrix:
aurita, 386
jacchus, 386
Callorhinus ursinus, 603, 828, 849
Callosciurus:
caniceps, 103
erythraeus, 107
flavimanus, 103, 107
nigrovittatus, 103
notatus, 103, 107
prevostii, 103
Canine morphology:
Sus scrofa, 459
Tayassu pecari, 459
Tayassu tajacu, 459
Canis:
familiaris, 752, 799
latrans, 8, 402, 403, 780, 850
lupus, 176, 193, 403, 434, 632

Cannibalism, Nasua nasua, 207
Capreolus capreolus, 9, 606, 755
Capromys, 183
Captivity, Diphylla ecaudata, 215
Carbyn, L. N.:
Territory displacement in a wolf population with abundant prey, 193
Caribbean:
Stenella clymene, 583
Stenella coeruleoalba, 584
Carnassials, 164
Carollia:
brevicauda, 95
sp., 95
subrufa, 406
Carpomys:
melanurus, 154
phaeurus, 154
Castor canadensis, 435, 631
Catagonus wagneri, 466, 781
Cavia porcellus, 365
Cebus:
apella, 386
capucinus, 386
Census:
Myotis grisescens, 244
Tamias striatus, 315
Centurio senex, 406
Cervantes-Reza, F. A.:
Some predators of the zacatuche (Romerolagus diazi), 850
Cervantes R., F., and W. López-Forment C.:
Observations on the sexual behavior, gestation period, and young of captive Mexican volcano rabbits, Romerolagus diazi, 634
Cervus elaphus, 193, 574, 756
Chiapas:
Hylonycteris underwoodi, 668
Sylvilagus brasiliensis, 539
Chihuahua:
Perognathus penicillatus, 479
Thomomys umbrinus, 494
Chile:
Abrocoma bennetti, 305, 392
Akodon longipilis, 304
Akodon olivaceus, 304, 392
Dusicyon culpaeus, 392
Marmosa elegans, 305, 392
Octodon degus, 305, 392
Oryzomys longicaudatus, 304, 392
Phyllotis darwini, 304, 392
China:
Archaeoryctes, 528
Didymoconus, 528
Hunanictis, 528
Yantanglestes conexus, 526
Zeuctherium, 528
Chiroderma villosum, 409
Choeroniscus minor, 665
Choloepus hoffmanni, 413
Christian, D. P.:
Individual variation in thermoregulatory patterns of two desert rodents, 178
Chrotomys whiteheadi, 154
Clethrionomys, 116:
gapperi, 140, 397, 401, 831
glareolus, 12, 36, 382, 748
Cloeotis percivali, 167, 239
Coendou, 183
Colobus, 188
Colombia, Anoura cultrata, 82
Colorado:
Martes americana, 625
Thomomys bottae, 493
Thomomys talpoides, 494
Zapus hudsonius, 509
Zapus princeps, 511
Communication:
Antrozous, 25
Desmodus, 26
Dipodomys merriami, 12
Dipodomys microps, 12
Eptesicus, 25
Myotis, 25
Pipistrellus, 26
Pteropus, 26
Rhinolophus ferrumequinum, 20
Costa Rica:
Desmodus rotundus, 668, 805
Diaemus youngii, 805
Sylvilagus brasiliensis, 539
Sylvilagus dicei, 539
Cox, B. L.:
(see Caire, W.)
Craig, E. H.:
A relief-adjusted method for determining home range in mountainous areas, 837
Crateromys:
paulus, 515
schadenbergi, 154, 513
Crawford, R. L., and W. W. Baker:
Bats killed at a north Florida television tower: a 25-year record, 651
Cryptoprocta, 124
Cryptotis parva, 649
Cuba:
Eumops glaucinus, 412
Stenella longirostris, 584
Cynomys:
gunnisoni, 55, 613
leucurus, 55
ludovicianus, 362, 613, 706, 820
Cystophora cristata, 426, 825

Dactylomys dactylinus, 183
Daphoenictis, 124
Delphinus delphis, 586
Deltatherium, 527
Demography:
Acomys subspinosus, 646
Aethomys namaquensis, 646
Elephantulus edwardii, 646
Microtus pennsylvanicus, 738
Praomys verreauxi, 646
Rhabdomys pumilio, 646
Dendrohyrax dorsalis, 188

Density:
Neotoma floridana, 203
Peromyscus polionotus, 840
Dentition, 164
Description:
Barbourofelis *lovei*, 125
Crateromys *paulus*, 515
Nimravides *galiani*, 133
Rhyncomys *isarogensis*, 154
Stenella clymene, 583
Wyolestes, 529
Wyolestes apheles, 529
Desmodillus auricularis, 178
Desmodus, 26, 795:
rotundus, 406, 668, 804, 805
Diaemus youngii, 805
Dickerman, R. W., K. F. Koopman, and C. Seymour:
Notes on bats from the Pacific lowlands of Guatemala, 406
Dicrostonyx:
groenlandicus, 36, 371
torquatus, 286, 836
Didelphis virginiana, 367, 799
Didymoconus, 526
Diersing, V. E.:
Systematic status of Sylvilagus brasiliensis and S. insonus from North America, 539
Diet:
Bassariscus astutus, 439
Cynomys ludovicianus, 820
Dipodomys merriami, 17
Mus musculus, 853
Dinictis eileenae, 125
Diphylla ecaudata, 215, 805
Dipodomys, 441:
deserti, 384
merriami, 12, 572
microps, 12, 385
ordii, 97, 384, 572
spectabilis, 12
Dispersal:
Microtus breweri, 718
Microtus ochrogaster, 80
Microtus pennsylvanicus, 718
Peromyscus maniculatus, 80
Spermophilus beecheyi, 74
Spermophilus parryii, 74
Dissacus, 533
Dissacusium, 532
Distribution:
Anoura caudifer, 82
Anoura cultrata, 82
Anoura geoffroyi, 82
Blarina brevicauda, 200
Cervus elaphus, 574
Geomys bursarius, 831
Geomys pinetis, 832
Megaptera novaeangliae, 427
Mesoplodon, 432
Peromyscus leucopus, 200
Peromyscus polionotus, 840
Phenacomys intermedius, 115
Sorex vagrans, 119
Stenella clymene, 583
Stenella longirostris, 583
Sylvilagus brasiliensis, 539
Sylvilagus dicei, 539
Sylvilagus insonus, 539
Tadarida aurispinosa, 851
Zapus hudsonius, 502
Zapus princeps, 119, 502
Zapus trinotatus, 502
Dobson, F. S.:
An experimental examination of an artificial dispersal sink, 74
Dominica:
Brachyphylla cavernarum, 668
Monophyllus plethodon, 668
Douglas, C. L.:
(see Blake, J. G.)
Dowler, R. C.:
(see Engstrom, M. D.)
Dremomys:
pernyi, 107
rufigenis, 103
Durango:
Perognathus nelsoni, 479
Thomomys umbrinus, 494
Dusicyon culpaeus, 392

Echolocation, Microchiroptera (40 species), 233
Ecology:
Abrocoma bennetti, 305
Akodon longipilis, 304
Akodon olivaceus, 304
Blarina brevicauda, 199
Dactylomys dactylinus, 183
Marmosa elegans, 305
Neotoma floridana, 201
Octodon degus, 305
Oryzomys longicaudatus, 304
Peromyscus leucopus, 199
Phyllotis darwini, 304
Stenella clymene, 594
Ecuador:
Dactylomys dactylinus, 183
Myotis albescens, 422
Electrophoresis:
Brachyphyllinae, 665
Cynomys ludovicianus, 707
Glossophaginae, 665
Microtus breweri, 715
Microtus pennsylvanicus, 715
Peromyscus boyiii, 274
Peromyscus californicus, 274
Peromyscus maniculatus, 274
Peromyscus truei, 274
Elephantulus:
edwardii, 646
myurus, 648
rufescens, 635
Emmons, L. H.:
Morphological, ecological, and behavioral adaptations for arboreal brows-

ing in Dactylomys dactylinus (Rodentia, Echimyidae), 183
Energetics:
Myotis lucifugus, 758
Peromyscus leucopus, 786
England:
Microtus arvalis, 622
Stenella coeruleoalba, 584
Engstrom, M. D., and R. C. Dowler:
Field observations of mating behavior in Dipodomys ordii, 384
Engstrom, M. D., R. C. Dowler, D. S. Rogers, D. J. Schmidly, and J. W. Bickham:
Chromosomal variation within four species of harvest mice, (Reithrodontomys), 159
Enhydra lutris, 433, 828
Eocene:
Hunanictis, 528
Kennatherium, 528
Mongoloryctes, 528
Simidectes, 529
Wyolestes, 528
Wyolestes apheles, 529
Epixerus ebii, 188
Eptesicus, 25:
capensis, 239
furinalis, 410
fuscus, 167, 239, 651
Equus asinus, 58
Erethizon, 183:
dorsatum, 835, 838
Erignathus barbatus, 423, 828
Eriksson, M.:
The bulbourethral gland of the wood mouse, Apodemus sylvaticus, 375
Erophylla sezekorni, 665, 809
Esher, R. J.:
(see Wolfe, J. L.)
Esthonyx grangeri, 530
Euderma maculatum, 167, 239
Euglaucomys frimbriatus, 106
Eumetopias jubatus, 599
Eumops:
glaucinus, 411, 851
perotis, 167
underwoodi, 167
Eusmilus, 122
Eutamias:
cf. dorsalis, 117
ruficaudus, 401
sp., 117

Fagerstone, K. A., H. P. Tietjen, and O. Williams:
Seasonal variation in the diet of black-tailed prairie dogs, 820
Falkland Islands, Mesoplodon hectori, 430
Fasting, Taxidea taxus, 173
Feeding behavior:
Brachyteles arachnoides, 386
Cebus apella, 386
Felis, 134:
catus, 799
rufus, 850
Fenton, M. B., and G. P. Bell:
Recognition of species of insectivorous bats by their echolocation calls, 233
Fitzsimmons, M., and H. P. Weeks, Jr.:
Observations on snow tunneling by Sylvilagus floridanus, 211
Florida:
Barbourofelis *lovei*, 125
Eptesicus fuscus, 651
Eumops glaucinus, 411
Geomys pinetis, 832
Lasiurus borealis, 651
Lasiurus cinereus, 651
Lasiurus intermedius, 651
Lasiurus seminolus, 651
Mephitis mephitis, 843
Mus musculus, 840
Myotis austroriparius, 651
Myotis grisescens, 244
Neotoma floridana, 201
Nimravides *galiana*, 133
Peromyscus gossypinus, 840
Peromyscus polionotus, 470, 840
Procyon lotor, 843
Rattus rattus, 840
Sciurus carolinensis, 840
Sigmodon hispidus, 840
Stenella clymene, 583
Stenella longirostris, 584
Tadarida brasiliensis, 651
Vulpes vulpes, 843
Floyd, B. L., and M. R. Stromberg:
New records of the swift fox (Vulpes velox) in Wyoming, 650
Foltz, D. W.:
Genetic measures of inbreeding in Peromyscus, 470
Foltz, D. W., and J. L. Hoogland:
Analysis of the mating system in the black-tailed prairie dog (Cynomys ludovicianus) by likelihood of paternity, 706
Food:
Blarina brevicauda, 189
Diphylla ecaudata, 215
Food habits:
Abrocoma bennetti, 305
Akodon longipilis, 304
Akodon olivaceus, 304
Anoura cultrata, 96
Dactylomys dactylinus, 183
Enhydra lutris, 433
Eumops glaucinus, 412
Insectivorous bats, 166
Marmosa elegans, 305
Megaptera novaeangliae, 427
Octodon degus, 305
Oryzomys longicaudatus, 304
Phyllotis darwini, 304
Thomomys bottae, 293

Food passage, Taxidea taxus, 173
Fossil:
Ancalagon, 533
Archaeoryctes, 526
Ardynictis, 526
Barbourofelis *lovei*, 125
Clethrionomys gapperi, 831
Conoryctella, 683
Conoryctes, 683
Deltatherium, 527
Dicrostonyx torquatus, 836
Didymoconus, 526
Dissacus, 533
Dissacusium, 532
Ectoganus, 683
Erethizon dorsatum, 835
Erignathus barbatus, 423
Esthonyx grangeri, 530
Eutamias cf. dorsalis, 117
Geomys cf. bursarius, 831
Glaucomys sabrinus, 831
Halichoerus grypus, 424
Hapalodectes, 530
Huerfanodon heilprinianus, 690
Huerfanodon polecatensis, 688
Huerfanodon torrejonius, 684
Hukoutherium, 532
Hunanictis, 526
Kennatherium, 528
Lagurus curtatus, 117
Lampadophorus, 683
Microclaenodon, 527, 535
Microsorex hoyi, 831
Microtus xanthognathus, 831
Mongloryctes, 526
Neoliotomus ultimus, 530
Neotoma cinerea, 117
Neotoma lepida, 117
Ochotona princeps, 117
Ondatra zibethicus, 836
Onychodectes, 683
Onychomys cf. leucogaster, 117
Pelycodus mckennai, 530
Pelycodus ralstoni, 530
Phenacomys intermedius, 115
Phenacomys cf. intermedius, 836
Plagiocristodon, 532
Psittacotherium, 683
Simidectes, 529
Sorex palustris, 831
Spermophilus richardsonii, 836
Spermophilus townsendii, 117
Spermophilus tridecemlineatus, 831
Stylinodon, 683
Sylvilagus cf. nuttallii, 117
Sylvilagus idahoensis, 117
Tamiasciurus hudsonicus, 831
Wortmania, 683
Wyolestes, 528
Yantanglestes conexus, 526
Zeuctherium, 528
Foster, M. S.:
(see VanWagenen, R. F.)
France, Stenella coeruleoalba, 584
Freeman, P. W.:
Correspondence of food habits and morphology in insectivorous bats, 166
(see Musser, G. G.)
Fuentes, E. R.:
(see Jaksić, F. M.)
Fugle, G. N.:
(see Blaustein, A. R.)
Fuller, T. K., and L. B. Keith:
Non-overlapping ranges of coyotes and wolves in northeastern Alberta, 403
Functional morphology, carnassials, 164
Funisciurus pyrrhopus, 188

Garutti, V.:
(see Taddei, V. A.)
Gazella thomsoni, 754
Genetic variability:
Peromyscus boylii, 273
Peromyscus californicus, 273
Peromyscus maniculatus, 273
Peromyscus truei, 273
Genetics:
Equus asinus, 58
Microtus breweri, 713
Microtus pennsylvanicus, 713
Mus musculus, 146
Peromyscus leucopus, 473
Peromyscus maniculatus, 473
Peromyscus polionotus, 470
Genetta tigrina, 350
Genoways, H. H.:
(see Baker, R. J.)
Geomys:
attwateri, 270
bursarius, 258, 831, 850
pinetis, 293, 831
Georgia, Geomys pinetis, 832
Getty, T.:
Structure and dynamics of chipmunk home range, 726
Getz, L. L.:
(see McGuire, M. R.)
Gingerich, P. D.:
Radiation of early Cenozoic Didymoconidae (Condylarthra, Mesonychia) in Asia, with a new genus from the early Eocene of western North America, 526
Gipps, J. H. W.:
Behavior of bank voles, Clethrionomys glareolus, in the field, 382
Gland structure, Rangifer tarandus, 606
Glaucomys:
sabrinus, 103, 831
volans, 103
Glossophaga:
alticola, 408
commissarisi, 408
soricina, 408, 665, 805
Gordon, L. K.:
(see Musser, G. G.)

Grayson, D. K.:
A mid-Holocene record of the heather vole, Phenacomys cf. intermedius, in the central Great Basin and its biogeographic significance, 115
Greenbaum, I. F.:
(see Honeycutt, R. L.)
Gregory, P. A.:
(see Springer, S. D.)
Growth rates:
Dicrostonyx torquatus, 286
Lemmus sibiricus, 286
Microtus oeconomus, 286
Spermophilus armatus, 41
Spermophilus columbianus, 41
Spermophilus elegans, 41
Spermophilus richardsonii, 41
Guanajuato, Reithrodontomys megalotis, 161
Guatemala:
Anoura geoffroyi, 409
Artibeus jamaicensis, 406
Artibeus lituratus, 406
Artibeus phaeotis, 406
Artibeus toltecus, 404
Carollia subrufa, 406
Centurio senex, 406
Chiroderma villosum, 409
Desmodus rotundus, 406, 805
Eptesicus furinalis, 410
Glossophaga alticola, 408
Glossophaga commissarisi, 408
Glossophaga soricina, 408
Lasiurus ega, 410
Macrophyllum macrophyllum, 408
Micronycteris schmidtorum, 408
Molossus ater, 406
Molossus molossus, 410
Myotis fortidens, 410
Myotis nigricans, 410
Noctilio albiventris, 406
Noctilio leporinus, 406
Phyllostomus discolor, 408
Pternotus parnellii, 406
Rhogessa tumida, 410
Rhynchonycteris naso, 406
Saccopteryx bilineata, 406
Saccopteryx leptura, 406
Sturnira lilium, 406
Sylvilagus brasiliensis, 539
Uroderma bilobatum, 409
Vampyrops helleri, 409
Guerrero, Sylvilagus insonus, 539
Gulf of St. Lawrence, Phoca groenlandicus, 845
Gulo gulo, 400

Ha, J. C.:
(see Zegars, D. A.)
Habitat:
Abrocoma bennetti, 392
Akodon longipilis, 392
Akodon olivaceus, 392
Artibeus toltecus, 409
Clethrionomys gapperi, 399, 401
Eumops glaucinus, 412
Eutamias ruficaudus, 401
Glossophaga commissarisi, 408
Glossophaga soricina, 408
Macrophyllum macrophyllum, 408
Marmosa elegans, 392
Microtus longicaudus, 401
Microtus pennsylvanicus, 401
Octodon degus, 392
Oryzomys longicaudatus, 392
Peromyscus maniculatus, 400, 401
Peromyscus polionotus, 840
Phenacomys intermedius, 401
Rhynchonycteris naso, 406
Sorex cinereus, 399, 401
Sorex vagrans, 401
Spermophilus columbianus, 401
Zapus princeps, 401
Habitat utilization
Blarina brevicauda, 814
Ochrotomys nuttalli, 814
Peromyscus leucopus, 814
Tamias striatus, 814
Hafner, D. J., K. E. Peterson, and T. L. Yates:
Evolutionary relationships of jumping mice (genus Zapus) of the southwestern United States, 501
Halichoerus grypus, 424, 825, 845
Hapalodectes, 530
Harlow, H. J.:
Effect of fasting on rate of food passage and assimilation efficiency in badgers, 173
Heaney, L. R.:
(see Thorington, R. W., Jr.)
Hermanson, J. W.:
Functional morphology of the clavicle in the pallid bat, Antrozous pallidus, 801
Hermanson, J. W., and J. S. Altenbach:
Functional anatomy of the primary downstroke muscles in the pallid bat, Antrozous pallidus, 795
Hersh, S. L.:
Ecology of the Key Largo woodrat (Neotoma floridana smalli), 201
Hibernation:
Myotis grisescens, 244
Tamias striatus, 64
Hipposideros, 98:
caffer, 167, 240
commersoni, 167, 239
ruber, 239
Hoffmann, R. S.:
(see Koeppl, J. W.)
Holocene:
Bassariscus astutus, 439
Phenacomys intermedius, 115
Home range:
Canis latrans, 405
Canis lupus, 403
Dactylomys dactylinus, 185
Erethizon dorsatum, 838

Neotoma floridana, 205
Tamias striatus, 726
Honduras:
Desmodus rotundus, 805
Diphylla ecaudata, 215, 805
Sylvilagus brasiliensis, 548
Honeycutt, R. L.:
(see Baker, R. J.)
Honeycutt, R. L., I. F. Greenbaum, R. J. Baker, and V. M. Sarich:
Molecular evolution of vampire bats, 805
Hoogland, J. L.:
(see Foltz, D. W.)
Hoplophoneus, 123
Hormonal action:
Peromyscus maniculatus, 359
Hornocker, M.:
(see Ramirez, P., Jr.)
Hoyt, R. A., and J. S. Ackenbach:
Observations on Diphylla ecaudata in captivity, 215
Huerfanodon:
heilprinianus, 690
polecatensis, 688
torrejonius, 684
Hukoutherium, 532
Humphrey, S. R., and D. B. Barbour:
Status and habitat of three subspecies of Peromyscus polionotus in Florida, 840
Hunanictis, 526
Hyaenodon, 130
Hybridization:
Geomys bursarius, 258
Hylonycteris underwoodi, 665
Hylopetes:
electilis, 108
nigripes, 108
platyurus, 103
spadiceus, 109
Hypsignathus monstrosus, 188

Idaho, Erethizon dorsatum, 838
Idionycteris phyllotis, 167
Illinois:
Geomys bursarius, 832
Microtus ochrogaster, 369
Immunology:
Brachyphyllinae, 665
Glossophaginae, 665
Incest, Microtus ochrogaster, 213
Indiana:
Odocoileus virginianus, 752
Sylvilagus floridanus, 211
Individual variation:
Desmodillus auricularis, 178
Rhabdomys pumilio, 178
Indonesia, Rattus exulans, 557
Innes, S.:
(see Stewart, R. E. A.)
Iomys horsfieldii, 103
Ischyrosmilus, 122
Isothrix, 188

Jaksić, F. M., J. L. Yáñez, and E. R. Fuentes:
Assessing a small mammal community in central Chile, 391
Jalisco, Reithrodontomys sumichrasti, 161
Jamaica:
Erophylla sezekorni, 668
Macrotus waterhousii, 181
Monophyllus redmani, 668
Phyllonycteris aphylla, 668
Jannett, F. J., Jr.:
(see Stehn, R. A.)
Japan, Macaca fuscata, 698
Jenkins, S. H., and J. B. Llewellyn:
Multiple captures of Peromyscus: age, sex, and species differences, 639
Jones, J. K., Jr.:
Robert Lewis Packard, 1928–1979, 855
Jones, T. R., and R. K. Plakke:
The histology and histochemistry of the perianal scent gland of the reproductively quiescent black-tailed prairie dog (Cynomys ludovicianus), 362
Jordan, P. A.:
(see Belovsky, G. E.)
Jung, H. G., and G. O. Batzli:
Nutritional ecology of microtine rodents: effects of plant extracts on the growth of arctic microtines, 286

Källquist, L.:
(see Mossing, T.)
Kannabateomys, 183
Kansas, Dipodomys ordii, 385
Karyology, Anoura cultrata, 96
Karyotype:
Geomys bursarius, 258
Reithrodontomys fulvescens, 159
Reithrodontomys humulis, 159
Reithrodontomys megalotis, 159
Reithrodontomys sumichrasti, 159
Keith, L. B.:
(see Fuller, T. K.)
Keith, T. P., and R. H. Tamarin:
Genetic and demographic differences between dispersers and residents in cycling and noncycling vole populations, 713
Kennatherium, 528
Kentucky:
Microtus ochrogaster, 369
Ochrotomys nuttalli, 628
Kenya, Elephantulus rufescens, 635
Kerivoula argentata, 239
Kerodon, 183
Kidney:
Macrotus californicus, 181
Macrotus waterhousii, 181
Kilgore, D. L., Jr.:
(see Worthen, G. L.)
Kiltie, R. A.:
The function of interlocking canines in rain forest peccaries (Tayassuidae), 459

Kitchings, J. T., and D. J. Levy:
Habitat patterns in a small mammal community, 814
Klippel, W. E.:
(see Parmalee, P. W.)
Koeppl, J. W., and R. S. Hoffmann:
Comparative postnatal growth of four ground squirrel species, 41
Koeppl, J. W., N. A. Slade, and R. W. Turner:
Allochronic associations of Rattus exulans, 557
Koopman, K. F.:
(see Dickerman, R. W.)
Koutnik, D. L.:
Sex-related differences in the seasonality of agonistic behavior in mule deer, 1
Krohne, D. T.:
Intraspecific litter size variation in Microtus californicus: variation within populations, 29

Laephotis angolensis, 239
Lagenodelphis hosei, 586
Lagenorhynchus, 586:
albirostris, 593
LaGory, K. E., M. K. LaGory, and D. H. Taylor:
Evening activities and nearest-neighbor distances in free-ranging white-tailed deer, 752
LaGory, M. K.:
(see LaGory, K. E.)
Lagurus curtatus, 117, 369
Lasionycteris noctivagans, 167
Lasiurus:
borealis, 167, 651
cinereus, 167, 239, 651
ega, 167, 410
intermedius, 651
seminolus, 651
Leamy, L.:
The effect of litter size on fertility in Peromyscus leucopus, 692
Lemmus sibericus, 286
Lemur mongoz, 386
Leptonychotes weddelli, 825, 849
Leptonycteris sanborni, 665
Lepus:
americanus, 632
europaeus, 212
sp., 117
Levescy, B.:
(see Caire, W.)
Levy, D. J.:
(see Kitchings, J. T.)
Lightfoot, N.:
(see Stewart, R. E. A.)
Lindsay, S. L.:
Taxonomic and biogeographic relationships of Baja California chickarees (Tamiasciurus), 673
Lionycteris spurrelli, 665
Litter size:
Arctictis binturong, 346
Microtus californicus, 29
Peromyscus leucopus, 692
Llewellyn, J. B.:
(see Jenkins, S. H.)
Lobodon carcinophagus, 825
Locomotion:
Aeromys tephromelas, 103
Antrozous pallidus, 796
Choloepus hoffmanni, 413
Glaucomys volans, 103
Hylopetes platyurus, 103
Hylopetes playurus, 103
Iomys horsfieldii, 103
Petaurillus kinlochii, 103
Petaurista alborufus, 103
Petaurista elegans, 103
Petaurista petaurista, 103
Petinomys genibarbis, 103
Petinomys setosus, 103
Petinomys vordemanni, 103
Pteromyscus pulverulentus, 103
Lonchophylla thomasi, 665
Lonchorhina aurita, 95
Longevity:
Arctictis binturong, 348
Macaca fuscata, 698
Myotis grisescens, 244
López-Forment C., W.:
(see Cervantes R., F.)
Loxodonta africana, 617
Lu, S.-L., and W. J. Bleier:
Renal morphology of Macrotus (Chiroptera, Phyllostomatidae), 181
Lucas, S. G.:
(see Schoch, R. M.)
Lynx rufus, 780

Macaca:
fuscata, 698
mulatta, 638, 698
nemestrina, 698
sinica, 698
Machairodus:
catacopis, 136
coloradensis, 137
palmidens, 131
Maclean, G. S.:
Torpor patterns and microenvironment of the eastern chipmunk, Tamias striatus, 64
Macrophyllum macrophyllum, 408
Macrotus
californicus, 167, 181
waterhousii, 181
Madison, D. M.:
Time patterning of nest visitation by lactating meadow voles, 389
Maine, Erignathus barbatus, 423
Manitoba:
Canis lupus, 193
Microtus pennsylvanicus, 622
Mares, M. A., K. E. Streilein, and M. R. Willig:
Experimental assessment of several population estimation techniques on

an introduced population of eastern chipmunks, 315
Marmosa elegans, 305, 392
Marmota:
flaviventris, 706
monax, 613
Martes:
americana, 402, 624
martes, 625
Martin, I. G.:
Venom of the short-tailed shrew (Blarina brevicauda) as an insect immobilizing agent, 189
Massachusetts:
Microtus breweri, 713
Microtus pennsylvanicus, 421, 713
Mus musculus, 853
Myotis lucifugus, 758
Stenella coeruleoalba, 584
Matsumura, S.:
Mother-infant communication in a horseshoe bat (Rhinolophus ferrumequinum nippon): vocal communication in three-week-old infants, 20
McGuire, M. R., and L. L. Getz:
Incest taboo between sibling Microtus ochrogaster, 213
Mead, J. G.:
First records of Mesoplodon hectori (Ziphiidae) from the northern hemisphere and a description of the adult male, 430
(see Perrin, W. F.)
Mead, J. I., and T. R. Van Devender:
Late Holocene diet of Bassariscus astutus in the Grand Canyon, Arizona, 439
Measurements:
Aeromys tephromeles, 103
Anoura cultrata, 86
Barbourofelis *lovei*, 126
Callosciurus caniceps, 103
Callosciurus erythraeus, 107
Callosciurus flavimanus, 103, 107
Callosciurus nigrovitattus, 103
Callosciurus notatus, 103, 107
Callosciurus prevostii, 103
Dremomys pernyi, 107
Dremomys rufigenis, 103
Glaucomys sabrinus, 103
Glaucomys volans, 103
Hylopetes electilis, 108
Hylopetes nigripes, 108
Hylopetes platyurus, 103
Hylopetes playurus, 103
Hylopetes spadiceus, 109
Iomys horsfieldii, 103
Microsciurus alfari, 107
Nimravides *galiani*, 132
Petaurillus kinlochii, 103
Petaurista alborufus, 103
Petaurista elegans, 103
Petaurista petaurista, 103
Petinomys genibarbis, 103
Petinomys setosus, 103
Petinomys vordemanni, 103
Protoxerus aubinnii, 108
Protoxerus stangeri, 107
Pteromyscus pulverulentus, 103
Ratufa affinis, 103
Ratufa bicolor, 103
Ratufa indica, 108
Sciurus aberti, 107
Sciurus carolinensis, 107
Sciurus deppei, 107
Sciurus niger, 107
Sundasciurus brookei, 103
Sundasciurus hippurus, 103, 107
Sundasciurus hoogstraali, 108
Sundasciurus lowii, 103
Sundasciurus steeri, 107
Sundasciurus tenuis, 103
Tamiasciurus hudsonicus, 107
Tamiops macclellandi, 103
Mech, L. D.:
(see Rogers, L. L.)
Megantereon, 122
Megaptera novaeangliae, 427
Meles meles, 627
Mellett, J. S.:
Mammalian carnassial function and the "Every Effect", 164
Mendel, F. C.:
Use of hands and feet of two-toed sloths (Choloepus hoffmanni) during climbing and terrestrial locomotion, 413
Mephitis, 627:
mephitis, 843
Meriones unguiculatus, 12
Meserve, P. L.:
Trophic relationships among small mammals in a Chilean semiarid thorn scrub community, 304
Mesomys hispidus, 183
Mesoplodon:
bidens, 432
bowdoini, 432
carlhubbsi, 431
densirostris, 431
europaeus, 431
ginkgodens, 431
grayi, 432
hectori, 430
layardi, 432
mirus, 431
pacificus, 432
stejnegeri, 431
Metabolism:
Desmodillus auricularis, 178
Martes americana, 624
Rhabdomys pumilio, 178
Taxidea taxus, 173
Mexico:
Canis latrans, 850
Felis rufus, 850
Mustela frenata, 850
Romerolagus diazi, 634, 850
Michigan:

Alces alces, 613, 631
Tamias striatus, 727
Microcebus murinus, 386
Microclaenodon, 527, 535
Micronycteris:
nicefori, 98
schmidtorum, 408
Microsciurus alfari, 107
Microsorex hoyi, 831
Microtus:
agrestis, 370, 632, 724, 745
arvalis, 622, 630
auratus, 622
breweri, 713
californicus, 29, 747
guentheri, 623
longicaudus, 401, 421
montanus, 36, 369, 745
montbelli, 38
ochrogaster, 36, 80, 213, 369, 714, 747, 853
oeconomus, 286, 749
pennsylvanicus, 36, 199, 371, 389, 410, 421, 613, 622, 713, 738
sp., 117
townsendii, 36, 724, 748
xanthognathus, 831
Millar, J. S.:
Body composition and energy reserves of northern Peromyscus leucopus, 786
Miller, K.:
(see Bryant, P. J.)
Miniopterus schreibersi, 167
Minnesota:
Alces alces, 631
Canis lupus, 434
Castor canadensis, 435
Clethrionomys gapperi, 397
Odocoileus virginianus, 435
Peromyscus maniculatus, 400
Sorex cinereus, 399
Ursus americanus, 434
Zapus hudsonius, 511
Miocene:
Barbourofelis *lovei*, 125
Nimravides *galiani*, 133
Mirounga:
angustirostris, 8, 62, 828, 845
leonina, 849
Mississippi:
Sorex longirostris, 649
Microtus ochrogaster, 369
Mitchell, E. D.:
(see Perrin, W. F.)
Molecular evolution:
Desmodus rotundus, 805
Diaemus youngii, 805
Diphylla ecaudata, 805
Molossus:
ater, 167, 406
aztecus, 410
molossus, 167, 410
Monachus schauinslandi, 827
Mongolia:
Ardynictis, 528
Didymoconus, 528
Kennatherium, 528
Mongoloryctes, 528
Mongoloryctes, 526
Monophyllus:
plethodon, 668
redmani, 665, 809
Montana:
Canis latrans, 402
Clethrionomys gapperi, 401
Eutamias ruficaudus, 401
Gulo gulo, 400
Martes americana, 402
Microtus longicaudus, 401
Microtus pennsylvanicus, 401
Mustela erminea, 402
Mustela frenata, 402
Peromyscus maniculatus, 401
Phenacomys intermedius, 401
Sorex cinereus, 401
Sorex vagrans, 401
Spermophilus armatus, 41
Spermophilus columbianus, 41, 401
Spermophilus elegans, 41
Spermophilus richardsonii, 41
Zapus princeps, 401
Montserrat, Brachyphylla cavernarum, 668
Mormoops megalophylla, 167
Morphology:
Anoura cultrata, 86
Antrozous pallidus, 801
Dactylomys dactylinus, 183
insectivorous bats, 166
Mortality:
Antechnius bellus, 381
Microtus californicus, 747
Mossing, T., and L. Källquist:
Variation in cutaneous glandular structures in reindeer (Rangifer tarandus), 606
Movement, Canis lupus, 193
Muntiacus:
muntjak, 208
reevesi, 755
Murtaugh, J.:
(see Wemmer, C.)
Mus musculus, 12, 36, 146, 178, 371, 622, 636, 840, 853
Musser, G. G., and P. W. Freeman:
A new species of Rhynchomys (Muridae) from the Philippines, 154
Musser, G. G., and L. K. Gordon:
A new species of Crateromys (Muridae) from the Philippines, 513
Mustela, 627:
erminea, 402
frenata, 402, 850
Myotis, 25:
albescens, 422
auriculus, 167, 239
austroriparius, 651

blythii, 423
californicus, 167, 239
evotis, 167, 239
fortidens, 410
grisescens, 244, 437
keenii, 167
leibii, 239
lucifugus, 167, 239, 250, 422, 437, 758
myotis, 423, 437
nattereri, 437
nigricans, 410, 437
oxyotis, 95
septentrionalis, 239
sodalis, 167, 239, 437
thysanodes, 167, 239
velifer, 167, 436
volans, 167, 239
yumanensis, 167

Nagorsen, D., and J. R. Tamsitt:
Systematics of Anoura cultrata, A. brevirostrum, and A. werckleae, 82
Nandinia binotata, 342
Napaeozapus insignis, 140
Nasua nasua, 206, 531
Nebraska:
Dicrostonyx torquatus, 836
Erethizon dorsatum, 835
Ondatra zibethicus, 836
Phenacomys cf. intermedius, 836
Spermophilus richardsonii, 836
Neoliotomus ultimus, 530
Neotoma, 12, 441:
albigula, 823
cinerea, 117
floridana, 201
lepida, 38, 117
sp., 117
Nevada:
Eutamias cf. dorsalis, 117
Lagurus curtatus, 117
Neotoma cinerea, 117
Neotoma lepida, 117
Ochotona princeps, 117
Onychomys cf. leucogaster, 117
Perognathus formosus, 479
Peromyscus maniculatus, 639
Peromyscus truei, 639
Phenacomys intermedius, 115
Sorex vagrans, 119
Spermophilus townsendii, 117
Sylvilagus idahoensis, 117
Sylvilagus nuttallii, 117
Zapus princeps, 119
New Jersey, Stenella clymene, 583
New Mexico:
Dipodomys merriami, 572
Dipodomys ordii, 572
Perognathus flavus, 572
Perognathus penicillatus, 479
Tamiasciurus hudsonicus, 673
Thomomys bottae, 493
Zapus hudsonius, 501
Zapus luteus, 501
Zapus princeps, 511
New York:
Microtus pennsylvanicus, 389
Myotis septentrionalis, 239
Myotis sodalis, 239
Pitymys pinetorum, 369
Stenella coeruleoalba, 584
New Zealand, Mesoplodon hectori, 430
Nicaragua:
Desmodus rotundus, 805
Diaemus youngii, 805
Sylvilagus brasiliensis, 539
Nichols, G.:
(see Bryant, P. J.)
Nimravides:
catacopis, 137
galiani, 132
thinobates, 134
Nimravus, 122
Noctilio:
albiventris, 406
leporinus, 235, 406
North Carolina:
Stenella coeruleoalba, 584
Stenella longirostris, 584
Synaptomys cooperi, 844
Notiosorex crawfordi, 441
Notomys:
alexis, 373
cervinus, 373
fuscus, 373
mitchellii, 373
Noyes, M. J. S.:
(see Wolfe, L. D.)
Nutrition:
Dicrostonyx torquatus, 286
Lemmus sibiricus, 286
Microtus oeconomus, 286
Nycteris:
macrotis, 167
thebaica, 167, 239
woodi, 167, 239
Nycticeius:
humeralis, 167, 422,
schlieffeni, 239
Nyctinomops:
femorosacca, 167
macrotis, 167

Oaxaca, Sylvilagus brasiliensis, 551
Obituary, Robert Lewis Packard, 1928–1979, 855
Ochotona princeps, 117, 850
Ochrotomys nuttalli, 200, 628, 814
Octodon degus, 305, 392
Odocoileus:
hemionus, 1, 606
virginianus, 1, 405, 435, 606, 613, 752
Oklahoma:
Barbourofelis *lovei*, 125
Myotis velifer, 436
Vulpes velox, 650

Oligocene:
Ardynictis, 528
Didymoconus, 528
Olsen, N. A.:
(see Bunnell, F. L.)
Ondatra, 116:
zibethicus, 631, 836
Ontario:
Eptesicus fuscus, 239
Erignathus barbatus, 426
Microtus pennsylvanicus, 738
Mus musculus, 146
Myotis lucifugus, 239
Peromyscus leucopus, 786
Onychomys cf. leucogaster, 117
Oregon:
Eumpetopias jubatus, 603
Thomomys bulbivorus, 494
Oryctolagus cuniculus, 367, 617
Oryzomys longicaudatus, 304, 392
Otomops martiensseni, 239
Ovis dalli, 379

Packard, R. L.:
Obituary, 855
Paguma larvata, 342
Paleocene:
Ancalagon, 533
Archaeoryctes, 528
Deltatherium, 527
Dissacus, 533
Dissacusium, 532
Huerfanodon heilprinianus, 690
Huerfanodon polecatensis, 688
Huerfanodon torrejonius, 683
Hukoutherium, 532
Microclaenodon, 527
Plagiocristodon, 532
Yantanglestes conexus, 526
Zeuctherium, 528
Panama:
Nasua nasua, 206
Sylvilagus brasiliensis, 539
Sylvilagus dicei, 539
Papio hamadryas, 698
Pappogeomys:
merriami, 850
tylorhinus, 850
Parmalee, P. W., and W. E. Klippel:
A late pleistocene population of the pocket gopher, Geomys cf. bursarius, in the Nashville basin, Tennessee, 831
Parturition, Phoca groenlandica, 845
Patton, J. L., S. L. Sherwood, and S. Y. Yang:
Biochemical systematics of chaetodipine pocket mice, genus Perognathus, 477
Patton, J. L., and M. F. Smith:
Molecular evolution in Thomomys: phyletic systematics, paraphyly, and rates of evolution, 493
Pelycodus:
mckennai, 530
ralstoni, 530
Pennsylvania:
Blarina brevicauda, 199
Peromyscus leucopus, 199
Tamias striatus, 316
Perognathus:
anthonyi, 478
arenarius, 479
artus, 479
baileyi, 479
californicus, 479
cf. intermedius, 441
dalquesti, 478
fallax, 479
flavus, 488, 572
formosus, 477
goldmani, 479
hispidus, 477
intermedius, 479
lineatus, 478
longimembris, 488
nelsoni, 479
penicillatus, 479
pernix, 479
spinatus, 479
Peromyscus, 12, 441, 630:
boylii, 275
californicus, 36, 274
floridanus, 36
gossypinus, 200, 840
leucopus, 36, 199, 473, 692, 786, 814
maniculatus, 36, 80, 140, 274, 353, 371, 400, 401, 473, 639, 696, 792, 811
polionotus, 36, 470, 840
sp., 117
truei, 275, 639,
Peropteryx trinitatis, 95
Perrin, W. F., E. D. Mitchell, J. G. Mead, D. K. Caldwell, and P. J. H. van Bree:
Stenella clymene, a rediscovered tropical dolphin of the Atlantic, 583
Petaurillus kinlochii, 103
Petaurista:
alborufus, 103
elegans, 103
petaurista, 103
Petaurus breviceps, 637
Peterson, K. E.:
(see Hafner, D. J.)
Petinomys:
genibarbis, 103
setosus, 103
vordemanni, 103
Petras, M. L., and J. C. Topping:
Studies of natural populations of Mus. VI. Sizes of populations inhabiting corn cribs in southwestern Ontario, 146
Phacochoerus aethiopicus, 782
Phenacomys:
cf. intermedius, 836
intermedius, 115, 401

Philippines:
Crateromys *paulus*, 515
Crateromys schadenbergi, 513
Rhyncomys *isarogensis*, 154
Phoca:
groenlandica, 826, 845
hispida, 825
largha, 825
vitulina, 825, 849
Phocoena phocoena, 593
Phyllonycteris aphylla, 665, 809
Phyllostomus discolor, 96, 408
Phyllotis darwini, 304, 392
Physiology:
Myotis velifer, 436
Peromyscus maniculatus, 353
Pineal gland, Microtus arvalis, 622
Pipistrellus, 26:
hesperus, 167, 239
kuhli, 423
nanus, 239, 423
rueppelli, 239
subflavus, 167
Pitcher, K. W., and D. G. Calkins:
Reproductive biology of Steller sea lions in the Gulf of Alaska, 599
Pitymys pinetorum, 369
Pizonyx vivesi, 422
Plagiocristodon, 532
Plakke, R. K.:
(see Jones, T. R.)
Plecotus townsendi, 167
Pleistocene:
Clethrionomys gapperi, 831
Dicrostonyx torquatus, 836
Erethizon dorsatum, 835
Erignathus barbatus, 423
Geomys cf. bursarius, 831
Glaucomys sabrinus, 831
Microsorex hoyi, 831
Microtus xanthognathus, 831
Ondatra zibethicus, 836
Phenacomys cf. intermedius, 836
Sorex palustris, 831
Spermophilus richardsonii, 836
Spermophilus tridecemlineatus, 831
Tamiasciurus hudsonicus, 831
Population density, Mus musculus, 148
Population dynamics:
Antechinus bellus, 329
Antechinus bilarni, 329
Microtus breweri, 716
Microtus pennsylvanicus, 716
Rattus exulans, 557
Population estimation:
Tamias striatus, 315
Powell, J. A., D. W. Belitsky, and G. B. Rathbun:
Status of the West Indian manatee (Trichechus manatus) in Puerto Rico, 642
Powell, R. A., and W. S. Brooks:
Small mammal changes in populations following tornado blowdown in northern mixed forest, 397
Praomys verreauxi, 646
Predation:
Abrocoma bennetti, 395
Akodon longipilis, 395
Akodon olivaceus, 395
Canis latrans, 8
Marmosa elegans, 395
Octodon degus, 395
Oryzomys longicaudatus, 395
Phyllotis darwini, 395
Presbytis entellus, 638
Prey, Canis lupus, 193
Prionodon linsang, 350
Procerberus formicarum, 690
Procyon lotor, 843
Proechimys, 188
Promops nasutus, 851
Protoxerus:
aubinnii, 107
stangeri, 107
Pseudaelurus:
pedionomus, 134
thinobates, 135
Pseudomys australis, 373
Pteromyscus pulverulentus, 103
Pteronotus:
davyi, 95
parnellii, 95, 406
Pteropus, 26
Puebla:
Reithrodontomys fulvescens, 160
Sylvilagus brasiliensis, 551
Thomomys umbrinus, 494
Puerto Rico:
Trichechus manatus, 642

Quay, W. B.:
Unusual pineal size and morphology in the Orkney vole (Microtus arvalis orcadensis), 622
Quebec:
Clethrionomys gapperi, 140
Napaeozapus insignis, 140
Peromyscus maniculatus, 140
Queretaro:
Desmodus rotundus, 805
Diphylla ecaudata, 805
Reithrodontomys megalotis, 161

Radio telemetry, Microtus pennsylvanicus, 739
Ramirez, P., Jr., and M. Hornocker:
Small mammal populations in different-aged clearcuts in northwestern Montana, 400
Randall, J. A.:
Olfactory communication at sunbathing loci by sympatric species of kangaroo rats, 12
Rangifer tarandus, 7, 606

Rathbun, G. B.:
(see Powell, J. A.)
Rathbun, G. B., and K. Redford:
Pedal scent-marking in the rufous elephant-shrew, Elephantulus rufescens, 635
Rattus:
exulans, 557
norvegicus, 36, 622
rattus, 203, 840
Ratufa:
affinis, 103
bicolor, 103
indica, 107
Ray, C. E., and A. E. Spiess:
The bearded seal, Erignathus barbatus, in the Pleistocene of Maine, 423
Redford, K.:
(see Rathbun, G. B.)
Redunca arundinum, 756
Reithrodontomys:
fulvescens, 159
humulis, 159
megalotis, 159, 195, 442
raviventris, 164
sumichrasti, 159
Renal morphology:
Macrotus californicus, 181
Macrotus waterhousii, 181
Reproduction:
Anoura cultrata, 95
Antechinus bellus, 329, 381
Antechinus bilarni, 329, 381
Apodemus sylvaticus, 375
Arctictus binturong, 342
Artibeus jamaicensis, 409
Artibeus lituratus, 410
Chiroderma villosum, 409
Cynomys ludovicianus, 706
Dipodomys ordii, 384
Eumetopias jubatus, 599
Eumops glaucinus, 412
Macaca fuscata, 698
Microtus ochrogaster, 213
Microtus pennsylvanicus, 389, 739
Myotis nigricans, 410
Neotoma floridana, 204
Noctilio leporinus, 408
Notomys alexis, 373
Ovis dalli, 379
Peromyscus leucopus, 692
Peromyscus maniculatus, 359
Romerolagus diazi, 634
Thomomys bottae, 293
Uroderma bilobatum, 409
Reproductive physiology, Peromyscus maniculatus, 811
Rhabdomys pumilio, 178, 646
Rhinolophus:
blasii, 167
denti, 239
ferrumequinum, 20
hildebrandti, 239
simulator, 167, 239
swinnyi, 167
Rhogessa tumida, 410
Rhynchomys:
isarogensis, 154
soricoides, 154
Rhynchonycteris naso, 406
Rickart, E. A.:
Demography and activity patterns of some small mammals from the Cape Province, South Africa, 646
Rogers, D. S.:
(see Engstrom, M. D.)
Rogers, L. L., and L. D. Mech:
Interactions of wolves and black bears in northeastern Minnesota, 434
Romerolagus diazi, 634, 850
Roosts, Saccopteryx bilineata, 406
Rose, R. K.:
Synaptomys not extinct in the Dismal Swamp, 844
Russell, J. K.:
Exclusion of adult male coatis from social groups: protection from predation, 206

Saccopteryx:
bilineata, 406
leptura, 406
Saguinus fuscicollis, 188
San Luis Potosi:
Sylvilagus brasiliensis, 551
Thomomys umbrinus, 494
Sansanosmilus palmidens, 131
Sarich, V. M.:
(see Baker, R. J.)
(see Honeycutt, R. L.)
Scent glands, Cynomys ludovicianus, 362
Scent-marking, Elephantulus rufescens, 635
Schmidly, D. J.:
(see Engstrom, M. D.)
(see Tucker, P. K.)
Schoch, R. M., and S. G. Lucas:
New conoryctines (Mammalia; Taeniodonta) from the middle Paleocene (Torrejonian) of western North America, 683
Schroder, G. D.:
Using edge effect to estimate animal densities, 568
Sciurus:
aberti, 107
carolinensis, 107, 840
deppei, 107
niger, 107, 613
Scotophilus nigrita, 239
Sex ratio:
Arctictis binturong, 346
Microtus breweri, 718
Microtus pennsylvanicus, 718
Seymour, C.:
(see Dickerman, R. W.)

Sherwood, S. W.:
(see Patton, J. L.)
Sigmodon hispidus, 38, 840
Simidectes, 529
Sinaloa:
Perognathus artus, 479
Perognathus goldmani, 479
Perognathus pernix, 479
Thomomys umbrinus, 494
Slade, N. A.:
(see Koeppl, J. W.)
Smilodon, 123
Smith, M. F.:
Relationships between genetic variability and niche dimensions among coexisting species of Peromyscus, 273
(see Patton, J. L.)
Snow tunnels, Sylvilagus floridanus, 211
Social structure, Cynomys ludovicianus, 706
Sodium balance, Alces alces, 613
Sonagram, Dactylomys dactylinus, 186
Sonora:
Leptonycteris sanborni, 668
Perognathus artus, 479
Perognathus baileyi, 479
Perognathus goldmani, 479
Perognathus intermedius, 479
Perognathus penicillatus, 479
Perognathus pernix, 479
Thomomys bottae, 493
Thomomys umbrinus, 494
Sorex:
cinereus, 142, 399, 401
longirostris, 200, 649
palustris, 831
vagrans, 119, 401
South Africa:
Acomys subspinosus, 646
Aethomys namaquensis, 646
Elephantulus edwardii, 646
Mesoplodon hectori, 430
Praomys verreauxi, 646
Rhabdomys pumilio, 646
South Carolina, Stenella longirostris, 584
South Dakota, Cynomys ludovicianus, 706, 820
Spatial association, Tamias striatus, 726
Spermophilus:
armatus, 41
beecheyi, 74
columbianus, 41, 367, 401, 636, 706
elegans, 41
parryii, 74
richardsonii, 41, 836
sp., 117
townsendii, 117
tridecemlineatus, 831
variegatus, 442
Spiess, A. E.:
(see Ray, C. E.)
Spilogale, 627:
putorius, 526
Springer, S. D., P. A. Gregory, and G. W. Barrett:
Importance of social grouping on bioenergetics of the golden mouse, Ochrotomys nuttalli, 628
Stehn, R. A., and F. J. Jannett, Jr.:
Male-induced abortion in various microtine rodents, 369
Stenella:
attenuata/frontalis, 586
clymene, 583
coeruleoalba, 583
longirostris, 583
plagiodon, 586
Steno bredanensis, 586
Stevenson, D. E., and M. D. Tuttle:
Survivorship in the endangered gray bat (Myotis grisescens), 244
Stewart, R. E. A., N. Lightfoot, and S. Innes:
Parturition in harp seals, 845
Streilein, K. E.:
(see Mares, M. A.)
Stromberg, M. R.:
(see Floyd, B. L.)
Sturnira lilium, 406, 805
Sullivan, R. M.:
Aquatic displays and interactions in harbor seals, Phoca vitulina, with comments on mating systems, 825
Suncus murinus, 368
Sundasciurus:
brookei, 103
hippurus, 103
hoogstraali, 108
lowii, 103
steeri, 107
tenuis, 103
Suriname:
Anoura caudifer, 668
Choeroniscus minor, 668
Lionycteris spurrelli, 668
Lonchophylla thomasi, 668
Survival rates, Myotis grisescens, 244
Sus scrofa, 459, 782
Sweden, Rangifer tarandus, 606
Sylvilagus, 182:
aquaticus, 549
brasiliensis, 539
cf. nuttallii, 117
cunicularius, 539
dicei, 539
floridanus, 211, 539
idahoensis, 117
insonus, 539
nuttallii, 823
palustris, 549
Synaptomys cooperi, 844
Syrtosmilus, 125
Systematics:
Brachyphyllinae, 665
Glossophaginae, 665
Perognathus, 477
Sylvilagus, 539
Thomomys, 493
Zapus, 501

Tadarida:
aegyptiaca, 239
ansorgei, 239
aurispinosa, 851
brasiliensis, 167, 239, 651
chapini, 239
fulminans, 239
laticaudata, 852
macrotis, 239
nigeriae, 239
similis, 851
Taddei, V. A., and V. Garutti:
The southernmost record of the free-tailed bat, Tadarida aurispinosa (Peale), 851
Tamandua tetradactyla, 419
Tamarin, R. H.:
Hip glands in wild-caught Microtus pennsylvanicus, 421
(see Keith, T. P.)
Tamaulipas:
Reithrodontomys fulvescens, 161
Sylvilagus brasiliensis, 548
Tamias striatus, 64, 315, 726, 814
Tamiasciurus:
douglasii, 673
hudsonicus, 107, 212, 673, 831
mearnsi, 680
Tamiops macclellandi, 103
Tamsitt, J. R.:
(see Nagorsen, D.)
Taphozous mauritianus, 239
Tasmania, Mesoplodon hectori, 430
Taxidea taxus, 173
Taxonomy:
Anoura brevirostrum, 82
Anoura cultrata, 82
Anoura werckleae, 82
Barbourofelis *lovei*, 125
Geomys bursarius, 258
Molossus molossus, 410
Nimravides *galiani*, 133
Tamiasciurus douglasii, 673
Tamiasciurus hudsonicus, 673
Tamiasciurus mearnsi, 673
Tayassu:
pecari, 459, 781
tajacu, 459, 767
Taylor, D. H.:
(see LaGory, K. E.)
Taylor, J. M.:
(see Calaby, J. H.)
Technique:
Home range determination, 837
Population density estimation, 315, 568
Teeth, Myotis albescens, 422
Tennessee:
Blarina brevicauda, 814
Clethrionomys gapperi, 831
Geomys cf. bursarius, 831
Glaucomys sabrinus, 831
Microsorex hoyi, 831
Microtus xanthognathus, 831
Myotis grisescens, 244
Ochrotomys nuttalli, 814
Peromyscus leucopus, 814
Sorex palustris, 831
Spermophilus tridecemlineatus, 831
Tamias striatus, 814
Tamiasciurus hudsonicus, 831
Terman, C. R.:
(see Bradley, E. L.)
Territory, Canis lupus, 193
Texas:
Erethizon dorsatum, 835
Geomys attwateri, 270
Geomys bursarius, 258
Ochrotomys nuttalli, 628
Reithrodontomys humulis, 161
Stenella clymene, 583
Stenella longirostris, 584
Thailand, Muntiacus muntjak, 209
Thermoregulation:
Desmodillus auricularis, 178
Rhabdomys pumilio, 178
Tamias striatus, 64
Thomomys:
bottae, 293, 493
bulbivorus, 493
monticola, 493
sp., 117
talpoides, 293, 493
townsendii, 493
umbrinus, 493
Thompson, L. F.:
(see Blake, J. G.)
Thorington, R. W., Jr., and L. R. Heaney:
Body proportions and gliding adaptations of flying squirrels (Petauristinae), 101
Thylacosmilus, 124
Tietjen, H. P.:
(see Fagerstone, K. A.)
Tilford, B.:
Nondesertion of a post-reproductive rhesus female by adult male kin, 638
Tobasco, Sylvilagus brasiliensis, 551
Topping, J. C.:
(see Petras, M. L.)
Torpor, Tamias striatus, 64
Torres de Assumpção, C.:
Cebus apella and Brachyteles arachnoides (Cebidae) as potential pollinators of Mabea fistulifera (Euphorbiaceae), 386
Trichechus manatus, 642
Trichosurus, 188
Tucker, P. K., and D. J. Schmidly:
Studies of a contact zone among three chromosomal races of Geomys bursarius in east Texas, 258
Turner, R. W.:
(see Koeppl, J. W.)
Tursiops truncatus, 586

Tuttle, M. D.:
(see Stevenson, D. E.)

United Kingdom, Clethrionomys glareolus, 382
Urine concentration:
Macrotus californicus, 181
Macrotus waterhousii, 181
Uroderma bilobatum, 96, 409
Ursus americanus, 434
Utah, Bassariscus astutus, 440

Vampyrops:
aurarius, 95
helleri, 409
van Bree, P. J. H.:
(see Perrin, W. F.)
Van Devender, T. R.:
(see Mead, J. I.)
VanWagenen, R. F., M. S. Foster, and F. Burns:
Sea otter predation on birds near Monterey, California, 433
Venezuela:
Anoura cultrata, 95
Glossophaga soricina, 668, 805
Stenella longirostris, 584
Sturnira lilium, 805
Venom, Blarina brevicauda, 189
Veracruz, Sylvilagus brasiliensis, 539
Vickery, W. L., and J. R. Bider:
The influence of weather on rodent activity, 140
Virginia:
Stenella coeruleoalba, 584
Synaptomys cooperi, 844
Vocalization:
Dactylomys dactylinus, 187
Muntiacus muntjak, 208
Voorhies, M. R.:
A fossil record of the porcupine (Erethizon dorsatum) from the Great Plains, 835
Vulpes:
velox, 650
vulpes, 843

Weaning, Myotis albescens, 422
Webster, A. B., and R. J. Brooks:
Social behavior of Microtus pennsylvanicus in relation to seasonal changes in demography, 738
Webster, W. D.:
Tooth replacement patterns in Myotis albescens, 422
Weeks, H. P., Jr.:
(see Fitzsimmons, M.)
(see Wiles, G. J.)
Wemmer, C., and J. Murtaugh:
Copulatory behavior and reproduction in the binturong, Arctictis binturong, 342
West Africa, Stenella clymene, 583
West Indies, Eumops glaucinus, 411
Wiles, G. J., and H. P. Weeks, Jr.:
Barking behavior in Indian muntjacs (Muntiacus muntjak), 208
Williams, O.:
(see Fagerstone, K. A.)
Willig, M. R.:
(see Mares, M. A.)
Wolfe, J. L., and R. J. Esher:
Relative abundance of the southeastern shrew, 649
Wolfe, L. D., and M. J. S. Noyes:
Reproductive senescence among female Japanese macques (Macaca fuscata fuscata), 698
Woolley, P. A.:
Antechinus bellus, another dasyurid marsupial with post-mating mortality of males, 381
Worthen, G. L., and D. L. Kilgore, Jr.:
Metabolic rate of pine marten in relation to air temperature, 624
Wourms, M. K.:
House mouse predation on cockroaches, 853
Wyolestes, 528:
apheles, 529
Wyoming:
Esthonyx grangeri, 530
Lagurus curtatus, 369
Microtus montanus, 369
Neoliotomus ultimus, 530
Pelycodus mckennai, 530
Pelycodus ralstoni, 530
Taxidea taxus, 173
Vulpes velox, 650
Wyolestes, 528
Wyolestes apheles, 529
Zapus hudsonius, 511

Yáñez, J. L.:
(see Jaksić, F. M.)
Yang, S. Y.:
(see Patton, J. L.)
Yantanglestes conexus, 526
Yates, T. L.:
(see Hafner, D. J.)
Yukon, Ovis dalli, 379

Zacatecas, Perognathus nelsoni, 479
Zalophus californianus, 603
Zapus:
hudsonius, 501
luteus, 501
princeps, 119, 401, 501
princeps luteus = Zapus hudsonius luteus, 509
trinotatus, 502
Zegars, D. A., and J. C. Ha:
Niche separation of Peromyscus leucopus and Blarina brevicauda, 199

Zeuctherium, 528
Zimbabwe:
Cloeotis percivali, 239
Eptesicus capensis, 239
Hipposideros commersoni, 239
Hipposideros ruber, 239
Kerivoula argentata, 239
Laephotis angolensis, 239
Nycteris thebaica, 239
Nycteris woodi, 239
Nycticeius schlieffeni, 239
Otomops martiensseni, 239
Pipistrellus nanus, 239
Pipistrellus rueppelli, 239
Rhinolophus denti, 239
Rhinolophus hildebrandti, 239
Rhinolophus simulator, 239
Scotophilus nigrita, 239
Scotophilus viridis, 239
Tadarida aegyptiaca, 239
Tadarida ansorgei, 239
Tadarida chapini, 239
Tadarida fulminans, 239
Tadarida nigeriae, 239
Taphozous mauritianus, 239

Reviews

Allen, D. L.:
Wolves of Minong, their vital role in a wild community, reviewed by E. R. Hall, 654
Ansell, W. F. H.:
The mammals of Zambia, reviewed by P. Swanepoel, 656
Burnham, K. P., D. R. Anderson, and J. L. Laake:
Estimation of density from line transect sampling of biological populations, reviewed by R. G. Ford, 452
Chaline, J., and P. Mein:
Les rongeurs et l'evolution, reviewed by B. H. Blake, 863
Corbet, G. B., and J. E. Hill:
A world list of mammalian species, reviewed by K. F. Koopman, 860
DeBlase, A. F.:
The bats of Iran: systematics, distribution, ecology, reviewed by K. F. Koopman, 861
Eisenberg, J. F. (ed.):
Vertebrate ecology in the northern Neotropics, reviewed by M. A. Mares, 450
Finerty, J. P.:
The population ecology of cycles in small mammals: mathematical theory and biological fact, reviewed by A. Cockburn, 865
Husson, A. M.:
The mammals of Suriname, reviewed by A. L. Gardner, 445
Kurtén, B., and E. Anderson:
Pleistocene mammals of North America, reviewed by A. H. Harris, 653
Laake, J. L., K. P. Burnham, and D. R. Anderson:
User's manual for program transect, reviewed by R. G. Ford, 452
Lawlor, T. E.:
Handbook to the orders and families of living mammals, reviewed by J. G. Hall, 655
Lillegraven, J. A., Z. Kielan-Jaworowska, and W. A. Clemens (eds.):
Mesozoic mammals, the first two thirds of mammalian history, reviewed by F. S. Szalay, 443
Lord Medway:
Mammals of Borneo: field keys and an annotated checklist, reviewed by G. S. Jones, 217
The wild mammals of Malaya (peninsular Malaysia) and Singapore, reviewed by G. S. Jones, 217
McCullough, D. R.:
The George Reserve deer herd. Population ecology of a K-selected species, reviewed by M. H. Smith, 218
Monson, G., and L. Sumner (eds.):
The desert bighorn. Its life history, ecology and management, reviewed by R. Valdez, 658
Montgomery, G. G. (ed.):
The ecology of arboreal folivores, reviewed by W. E. Glanz, 449
Scheffer, V. B.:
Adventures of a zoologist, reviewed by M. L. Johnson, 219
Sealander, J. A.:
A guide to Arkansas mammals, reviewed by V. R. McDaniel, 655
Silva Taboada, G.:
Los murciélagos de Cuba, reviewed by G. S. Morgan, 862
Watts, C. H. S., and H. J. Aslin:
The rodents of Australia, reviewed by A. Cockburn, 867
Yosida, T. H.:
Cytogenetics of the black rat. Karyotype evolution and species differentiation, reviewed by P. B. Baverstock, 866